


Reproducible pain reduction results¹⁻⁸

WOMAC pain subscale change from baseline across studies¹⁻⁸

In all our studies¹⁻⁸, Arthrosamid[®] exceeds the MCID of 9 points¹, and improvement is maintained up to 4 years after single injection.⁸



† WOMAC or The Western Ontario and McMaster Universities Osteoarthritis Index is a measure of symptoms and physical disability. LS Means are modelled/estimated means. The estimated means are using data from the other visits and also the covariates. **The minimum clinically important difference (MCID) represents the smallest improvement considered worthwhile by a patient.

ARTHROSAMID[®]

by
contura
ORTHOPAEDICS

References:

1. Henriksen, M., *et al.* (2018). Intra-articular 2.5% polyacrylamide hydrogel for the treatment of knee osteoarthritis: an observational proof-of-concept cohort study. *Clin Exp Rheumatol*. Vol 36(6):1082-85. Epub 2018 Jul 18. PMID: 30148430.
2. Bliddal, H., *et al.* (2021) Polyacrylamide Hydrogel Injection for Knee Osteoarthritis: A 6 Months Prospective Study. *J Orthop Res Ther*. Vol 6 (2): 1188. ISSN 2575-8241.
3. Bliddal, H., *et al.* (2021). Polyacrylamide Hydrogel Injection for Knee Osteoarthritis: Results of a 52 Week Prospective Study. *Osteoarthritis and Cartilage*. Vol 29: S278.
4. Bliddal, H., *et al.* (2022). A Prospective Study of Polyacrylamide Hydrogel Injection for Knee Osteoarthritis: Results From 2 Years After Treatment. Poster presented at OARSI 2022. *Osteoarthritis and Cartilage*. Vol 30(1): S371-S372.
5. Bliddal, H., *et al.* (2023) A Prospective Study of Polyacrylamide Hydrogel Injection for Knee Osteoarthritis: Results From 3 Years After Treatment. *Osteoarthritis and Cartilage*. Vol 31(5): 682-683.
6. Bliddal, H., *et al.* (2022). One-year performance of polyacrylamide hydrogel vs. hyaluronic acid: A randomised controlled study. *Osteoarthritis and Cartilage*. Vol 30: S1, S371.
7. Bliddal, H., *et al.* (2024) 3 year follow-up from a randomized controlled trial of intra-articular polyacrylamide hydrogel injection in subjects with knee osteoarthritis. Poster LB-31, OARSI 2024 World Congress on Osteoarthritis
8. Bliddal, H., *et al.* (2024) A Prospective Study of Polyacrylamide Hydrogel Injection for Knee Osteoarthritis: Results From 4 Years After Treatment. Presented at EORS 2024, Aalborg and Orthopaedic Proceedings of the Bone & Joint Journal.

OUS/ARTHRO/AUG2024/163

For HCP use only

For full details about warnings and precautions read the IFU.

For more information and the IFU please visit

hcp.arthrosamid.com or contact us at enquiries@arthrosamid.com.



@ConturaLtd



Contura-Orthopaedics-Ltd



Contura Orthopaedics Ltd

